


Stud Type Track Rollers
 With Axial Guidance
 KR, KRV Series
 KR...PP, KRV...PP Series



Outside Diameter	Bearing Designation	Mass	Boundary Dimensions											
			D	d	c	B	B1	B2	G	G1	M	M1	C1	d2
		(g)												
16	KR16	18	16	6	11	28	16	—	M6	8	4	—	0.6	12
	KR16PP	18	16	6	11	28	16	—	M6	8	4	—	0.6	12
	KRV16	20	16	6	11	28	16	—	M6	8	4	—	0.6	12
	KRV16PP	20	16	6	11	28	16	—	M6	8	4	—	0.6	12
19	KR19	28	19	8	11	32	20	—	M8	10	4	—	0.6	14
	KR16PP	28	19	8	11	32	20	—	M8	10	4	—	0.6	14
	KRV19	32	19	8	11	32	20	—	M8	10	4	—	0.6	14
	KRV19PP	32	19	8	11	32	20	—	M8	10	4	—	0.6	14
22	KR22	44	22	10	12	36	23	—	M10X1	12	4	—	0.6	17
	KR122PP	44	22	10	12	36	23	—	M10X1	12	4	—	0.6	17
	KRV22	45	22	10	12	36	23	—	M10X1	12	4	—	0.6	17
	KRV22PP	45	22	10	12	36	23	—	M10X1	12	4	—	0.6	17
26	KR26	58	26	10	12	36	23	—	M10X1	12	4	—	0.6	17
	KR26PP	58	26	10	12	36	23	—	M10X1	12	4	—	0.6	17
	KRV26	61	26	10	12	36	23	—	M10X1	12	4	—	0.6	17
	KRV26PP	61	26	10	12	36	23	—	M11X1	12	4	—	0.6	17
30	KR30	87	30	12	14	40	25	6	M12X1.5	13	6	3	0.6	23
	KR30PP	87	30	12	14	40	25	6	M12X1.5	13	6	3	0.6	23
	KRV30	89	30	12	14	40	25	6	M12X1.5	13	6	3	0.6	23
	KRV30PP	89	30	12	14	40	25	6	M12X1.5	13	6	3	0.6	23
32	KR32	98	32	12	14	40	25	6	M12X1.5	13	6	3	0.6	23
	KR32PP	98	32	12	14	40	25	6	M12X1.5	13	6	3	0.6	23
	KRV32	100	32	12	14	40	25	6	M12X1.5	13	6	3	0.6	23
	KRV32PP	100	32	12	14	40	25	6	M12X1.5	13	6	3	0.6	23
35	KR35	169	35	16	18	52	32.5	8	M16X1.5	17	6	3	0.8	27
	KR35PP	169	35	16	18	52	32.5	8	M16X1.5	17	6	3	0.8	27
	KRV35	171	35	16	18	52	32.5	8	M16X1.5	17	6	3	0.8	27
	KRV35PP	171	35	16	18	52	32.5	8	M16X1.5	17	6	3	0.8	27

Note: With "x" in the suffix indicates out ring.